

Cases and Rates of Acute and Chronic Hepatitis C by Indiana County 2011-2013							
(Quartiles based on 3-year county median rate)							
	3-year median case rate (per 100,000 population)	2011		2012		2013	
		Case Rate (per 100,000 population)	Reported Cases	Case Rate (per 100,000 population)	Reported Cases	Case Rate (per 100,000 population)	Reported Cases
Adams	28.8	32.0	11	23.3	8	28.8	10
Allen*	51.3	51.3	184	63.2	228	39.1	142
Bartholomev	43.1	55.4	43	43.1	34	41.5	33
Benton	-	-	-	-	-	-	-
Blackford	223.1	173.5	22	223.1	28	232.2	29
Boone	55.3	55.3	32	69.4	41	44.6	27
Brown	92.9	-	-	92.9	14	-	-
Carroll	32.3	-	-	39.8	8	24.9	5
Cass*	51.9	66.8	26	43.9	17	51.9	20
Clark*	96.6	91.5	102	99.1	111	96.6	109
Clay	50.2	48.3	13	52.1	14	-	-
Clinton	84.7	84.7	28	87.9	29	57.7	19
Crawford	56.6	56.5	6	93.9	10	56.6	6
Daviess	43.2	68.1	22	34.2	11	43.2	14
Dearborn	116.5	115.8	58	166.5	83	116.5	58
Decatur	53.7	54.1	14	53.7	14	22.9	6
DeKalb	37.9	54.2	23	37.9	16	33.1	14
Delaware	129.5	91.7	108	130.4	153	129.5	152
Dubois	35.5	35.5	15	38.0	16	28.4	12
Elkhart	36.3	36.3	72	43.7	87	25.4	51
Fayette	250.4	302.1	73	250.4	60	213.9	51
Floyd	73.1	81.4	61	73.1	55	71.0	54
Fountain	41.5	46.7	8	35.1	6	41.5	7
Franklin	60.9	60.9	14	108.7	25	43.6	10
Fulton	48.7	-	-	43.6	9	53.8	11
Gibson	47.7	47.7	16	38.9	13	47.7	16
Grant	84.0	91.9	64	62.1	43	84.0	58
Greene	66.4	66.4	22	118.1	39	54.9	18
Hamilton	21.5	21.5	61	28.0	81	15.2	45
Hancock	41.2	41.2	29	53.8	38	32.4	23
Harrison	56.3	89.2	35	51.1	20	56.3	22
Hendricks*	526.9	526.9	783	552.0	841	489.4	752
Henry*	135.8	135.8	67	162.4	80	108.1	53
Howard	75.9	90.5	75	75.9	63	62.7	52
Huntington	34.2	37.7	14	34.2	13	16.3	6

Cases and Rates of Acute and Chronic Hepatitis C by Indiana County 2011-2013 (Quartiles based on 3-year county median rate)							
	3-year median case rate (per 100,000 population)	2011		2012		2013	
		Case Rate (per 100,000 population)	Reported Cases	Case Rate (per 100,000 population)	Reported Cases	Case Rate (per 100,000 population)	Reported Cases
		Jackson	110.5	142.1	61	106.9	46
Jasper	41.9	41.9	14	47.8	16	36.0	12
Jay	121.7	51.5	11	121.7	26	135.1	29
Jefferson*	73.8	68.4	22	98.4	32	73.8	24
Jennings	141.9	141.9	40	141.9	40	74.3	21
Johnson*	32.5	32.5	46	41.8	60	30.2	44
Knox	44.7	46.8	18	44.7	17	34.2	13
Kosciusko	32.1	27.1	221	43.8	34	32.1	25
LaGrange	34.5	-	-	34.5	13	-	-
Lake	63.1	65.7	325	63.1	311	51.5	253
LaPorte*	90.9	98.0	109	90.9	101	55.7	62
Lawrence	86.8	86.8	40	76.0	35	91.6	42
Madison*	89.8	104.5	137	89.8	117	53.7	70
Marion*	87.9	94.0	856	87.9	807	54.3	504
Marshall	36.2	36.2	17	36.2	17	19.1	9
Martin	107.5	116.6	12	-	-	98.4	10
Miami*	109.7	161.3	59	109.7	40	85.8	31
Monroe	64.8	64.8	91	71.5	101	35.9	51
Montgomery	89.2	140.8	54	86.4	33	89.2	34
Morgan	73.4	66.5	46	85.2	59	73.4	51
Newton	-	-	-	-	-	-	-
Noble*	27.4	29.5	14	16.9	8	27.4	13
Ohio	-	-	-	-	-	116.0	7
Orange	45.7	35.2	7	45.7	9	50.6	10
Owen	54.1	-	-	56.2	12	52.0	11
Parke*	1468.0	1413.3	242	1472.7	252	1468.0	253
Perry*	71.8	102.7	20	61.8	12	71.8	14
Pike	39.5	39.2	5	47.0	6	39.5	5
Porter	38.7	38.7	64	45.9	76	25.8	43
Posey	31.3	31.2	8	31.3	8	31.4	8
Pulaski	49.9	-	-	38.3	5	61.5	8
Putnam*	124.1	124.1	47	124.7	47	64.0	24
Randolph	119.2	119.2	31	123.9	32	78.0	20
Ripley	73.1	73.1	21	70.1	20	116.1	33
Rush	70.5	40.4	7	75.9	13	70.5	12

Cases and Rates of Acute and Chronic Hepatitis C by Indiana County 2011-2013 (Quartiles based on 3-year county median rate)							
	3-year median case rate (per 100,000 population)	2011		2012		2013	
		Case Rate (per 100,000 population)	Reported Cases	Case Rate (per 100,000 population)	Reported Cases	Case Rate (per 100,000 population)	Reported Cases
Scott	259.9	267.3	64	176.1	42	259.9	62
Shelby	67.6	67.6	30	78.9	35	44.9	20
Spencer	48.0	52.2	11	33.6	7	48.0	10
St. Joseph*	38.2	38.2	102	60.0	160	37.9	101
Starke	64.7	60.3	14	64.7	15	68.9	16
Steuben	26.4	26.4	9	26.4	9	17.5	6
Sullivan	51.8	75.3	16	51.8	11	33.0	7
Switzerland	75.7	75.7	8	57.7	6	142.5	15
Tippecanoe	44.9	53.9	93	44.9	80	24.9	45
Tipton	76.0	75.7	12	76.2	12	-	-
Union	95.4	66.9	5	95.4	7	95.8	7
Vanderburgh	116.2	136.5	246	116.2	210	83.2	151
Vermillion	43.5	43.5	7	43.9	7	37.8	6
Vigo	150.5	150.5	163	173.1	188	116.3	126
Wabash*	58.6	61.0	20	58.6	19	40.2	13
Warren	-	-	-	95.4	8	-	-
Warrick	62.4	62.4	29	71.2	43	52.5	32
Washington	75.2	88.7	25	75.2	21	46.8	13
Wayne	179.5	156.9	108	190.2	103	179.5	122
Wells	19.9	21.6	6	18.1	5	-	-
White	28.7	-	-	24.6	6	32.8	8
Whitley	18.1	15.0	5	33.1	11	18.1	6
Indiana	87.5	87.8	5719	87.5	5718	67.6	4445

*Includes cases reported from Indiana Department of Corrections facilities in these counties

**Annual rates for counties with suppressed cases (less than <5) were not calculated

***Hepatitis C case counts published by the state of Indiana include combined reported acute and chronic hepatitis C cases. Counties highlighted in yellow are those with supplemental indicators supporting SEP consideration. Counties with lower HCV rates and lower heroin dependence and use indicators should still investigate their prescription drug mortality rates to understand whether deaths were due to injection of prescription drugs. Prescription drug overdose mortality rate was included as a supplemental indicator for syringe exchange because of the 2015 Scott County HIV outbreak among Opana injecting drug users; and based on national trends of HCV among young, heroin injecting drug users who first used oral prescription opioid drugs. It is relevant only for communities who know that users are injecting prescription drugs. See Klevens RM, Hu DJ, Jils R et al. Clin Infect Dis 2012;55(S1):S3-9. These indicators are available by county from the Rural Center for AIDS/STD Prevention at Indiana University.